

L Number	Hits	Search Text	DB	Time stamp
1	1	6569516.pn.	USPAT; US-PGPUB	2003/08/12 11:13
2	5	(Nakamura.in. or Sasa.in. or Hieda.in. or Miyauchi.in. or (Nitto adj Denko).as.) and ((laminate or filter or PDP or (plasma adj display adj panel) or transparent) with (Ag or silver)) and ((sputter\$3 or (vacuum adj dry)) with temperature)	USPAT; US-PGPUB	2003/08/12 11:18
3	1	(Nakamura.in. or Sasa.in. or Hieda.in. or Miyauchi.in. or (Nitto adj Denko).as.) and (PDP or (plasma adj display adj panel)) and ((sputter\$3 or (vacuum adj dry)) with temperature)	USPAT; US-PGPUB	2003/08/12 11:20
5	3	(Nakamura or Sasa or Hieda or Miyauchi or (Nitto adj Denko)) and ((laminate or filter or PDP or (plasma adj display adj panel) or transparent) and (Ag or silver)) and ((sputter\$3 or (vacuum adj dry)) with temperature)	EPO; JPO; DERWENT; IBM_TDB	2003/08/12 11:19
6	2	(Nakamura or Sasa or Hieda or Miyauchi or (Nitto adj Denko)) and (PDP or (plasma adj display adj panel)) and ((sputter\$3 or (vacuum adj dry)) with temperature)	EPO; JPO; DERWENT; IBM_TDB	2003/08/12 11:21
7	2	(PDP or (plasma adj display adj panel)) and ((Ag or silver) with (Au or gold) with (percent\$5 or "%"))	EPO; JPO; DERWENT; IBM_TDB	2003/08/12 11:23
8	0	(PDP or (plasma adj display adj panel)) and ((Ag or silver) with (Au or gold) with (percent\$5 or "%"))	USPAT; US-PGPUB	2003/08/12 11:23
9	16	(PDP or (plasma adj display adj panel)) and ((Ag or silver) with (Au or gold) with (percent\$5 or "%"))	USPAT; US-PGPUB	2003/08/12 11:28
10	28	(PDP or (plasma adj display)) and ((Ag or silver) with (Au or gold) with (percent\$5 or "%"))	USPAT; US-PGPUB	2003/08/12 11:35
11	12	((PDP or (plasma adj display)) and ((Ag or silver) with (Au or gold) with (percent\$5 or "%"))) not ((PDP or (plasma adj display adj panel)) and ((Ag or silver) with (Au or gold) with (percent\$5 or "%"))))	USPAT; US-PGPUB	2003/08/12 11:56
12	5	(PDP or (plasma adj display)) and ((Ag or silver) with (Au or gold) with ("5%"))	USPAT; US-PGPUB	2003/08/12 11:36
13	0	(PDP or (plasma adj display)) and ((Ag or silver) with (Au or gold) with ((five) adj percent\$5))	USPAT; US-PGPUB	2003/08/12 11:39
14	0	(PDP or (plasma adj display)) and ((Ag or silver) with (Au or gold) with ((five) adj "%"))	USPAT; US-PGPUB	2003/08/12 11:40
15	0	(PDP or (plasma adj display)) and ((Ag or silver) with (Au or gold) with ("5") adj "%"))	USPAT; US-PGPUB	2003/08/12 11:40
16	3691	((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.	USPAT; US-PGPUB	2003/08/12 11:57
17	3535	((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.	USPAT; US-PGPUB	2003/08/12 11:58
18	4622	((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.	USPAT; US-PGPUB	2003/08/12 11:59
19	2257	(427/404,419.1,419.2,419.3).CCLS.	USPAT; US-PGPUB	2003/08/12 11:59
20	0	("L16orL17orL18orL19").PN.	USPAT; US-PGPUB	2003/08/12 11:59
21	12740	((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or ((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or ((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)	USPAT; US-PGPUB	2003/08/12 12:00

22	3	((((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or ((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or ((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)) and (PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3)) and ((sputter or (vacuum adj dry)) with (temperature or celcius or kelvin or faren\$7)))	USPAT; US-PGPUB	2003/08/12 12:04
23	5	((((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or ((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or ((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)) and (PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3)) and ((sputter or (vacuum adj dry)) with (temperature or celcius or kelvin or faren\$7 or degree)))	USPAT; US-PGPUB	2003/08/12 12:05
24	2	(((((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or ((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or ((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)) and (PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3)) and ((sputter or (vacuum adj dry)) with (temperature or celcius or kelvin or faren\$7 or degree))) not (((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or ((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or ((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)) and (PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3)) and ((sputter or (vacuum adj dry)) with (temperature or celcius or kelvin or faren\$7)))	USPAT; US-PGPUB	2003/08/12 12:04
25	95	((((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or ((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or ((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)) and (PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry))))	USPAT; US-PGPUB	2003/08/12 13:06

30	215	(PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry))) and ((sputter\$3 or (vacuum adj dry)) with (temperature or celcius or faren\$7 or kelvin or degree))	USPAT; US-PGPUB	2003/08/12 12:32
31	197	((PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry))) and ((sputter\$3 or (vacuum adj dry)) with (temperature or celcius or faren\$7 or kelvin or degree))) not (((PDP or (plasma adj display) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry))) not ((((((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or (((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or (((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)) and (PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)))) not ((((((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or ((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or (((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)) and (PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3)) and ((sputter or (vacuum adj dry)) with (temperature or celcius or kelvin or faren\$7 or degree))))	USPAT; US-PGPUB	2003/08/12 12:32
34	317	(PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)) same (temperature or cercius or kelvin or faren\$9 or heat\$3))	USPAT; US-PGPUB	2003/08/12 13:03

36	70	((PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)) with (temperature or cercius or kelvin or faren\$9 or heat\$3))) not (((PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry))) and ((sputter\$3 or (vacuum adj dry)) with (temperature or celcius or faren\$7 or kelvin or degree))) not (((PDP or (plasma adj display)) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)))) not (((((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or (((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or (((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)) and (PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)))) not (((((427/64,68,69,70,108,109,124) or (313/112,484,489)).CCLS.) or (((427/164,165,166) or (359/359,360,588,589,888,890)).CCLS.) or (((427/250,251,255.32,255.7) or (204/192.1,192.14,192.15,192.29)).CCLS.) or ((427/404,419.1,419.2,419.3).CCLS.)) and (PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) and ((sputter or (vacuum adj dry)) with (temperature or celcius or kelvin or faren\$7 or degree))))))	USPAT; US-PGPUB	2003/08/12 12:41
35	146	(PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)) with (temperature or cercius or kelvin or faren\$9 or heat\$3).)	USPAT; US-PGPUB	2003/08/12 12:46
37	111	((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) with (sputter\$3 or (vacuum adj dry)) with (temperature or cercius or kelvin or faren\$9))	USPAT; US-PGPUB	2003/08/12 12:59
38	39	((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) with (sputter\$3 or (vacuum adj dry)) with (temperature or cercius or kelvin or faren\$9))	EPO; JPO; DERWENT; IBM_TDB	2003/08/12 12:59
39	22	(PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)) same (temperature or cercius or kelvin or faren\$9 or heat\$3))	EPO; JPO; DERWENT; IBM_TDB	2003/08/12 13:04

40	18	((PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)) same (temperature or cercius or kelvin or faren\$9 or heat\$3))) not (((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) with (sputter\$3 or (vacuum adj dry)) with (temperature or cercius or kelvin or faren\$9))))	EPO; JPO; DERWENT; IBM_TDB	2003/08/12 13:04
41	29	(PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) with (sputter\$3 or (vacuum adj dry)))	EPO; JPO; DERWENT; IBM_TDB	2003/08/12 13:06
42	22	((PDP or (plasma adj display) or filter) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) with (sputter\$3 or (vacuum adj dry)))) not (((PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)) same (temperature or cercius or kelvin or faren\$9 or heat\$3))) not (((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) with (sputter\$3 or (vacuum adj dry)) with (temperature or cercius or kelvin or faren\$9)))) or ((PDP or (plasma adj display) or filter or laminate) and ((Ag or silver) near3 (transparent or conduct\$4 or coat\$3 or film or layer or sputter\$3) same (sputter\$3 or (vacuum adj dry)) same (temperature or cercius or kelvin or faren\$9 or heat\$3))))	EPO; JPO; DERWENT; IBM_TDB	2003/08/12 13:07